

IMAGES IN DERMATOLOGY

Indurated Nodule on the Upper Lip☆ Nódulo indurado en labio superior

A. Imbernón-Moya,* E. Fernández-Cogolludo, M.Á. Gallego-Valdés

Servicio de Dermatología, Hospital Universitario Severo Ochoa, Leganés, Madrid, Spain

A 54-year-old woman with no relevant past medical history consulted for an asymptomatic lesion that been growing progressively on her upper lip for 4 years. She reported no systemic symptoms and denied trauma, cosmetic procedures, application of topical products, and consumption of oral drugs.

The skin examination showed an irregular, welldelimited, normal-colored, indurated, mobile, nonpulsatile nodule on the left upper lip (Fig. 1A). There were no oral mucosal lesions and the locoregional lymph nodes were not enlarged.

We decided to perform a soft-tissue ultrasound before biopsy. The findings showed a solid, ovoid, well-defined, heterogeneous lesion with a diameter of 15 mm and abundant arterial and venous flow. A subsequent computed tomography scan of the supra-aortic arteries showed a hypervascular lesion with intense arterial enhancement that was irrigated by the labial branch of the facial artery and the superior alveolar artery (branch of the maxillary artery) (Figs. 1B-D). Integration of the clinical and radiological findings (mainly the CT images) helped to confirm a diagnosis of caliberpersistent labial artery. The patient was referred to the vascular neuroradiology department for treatment.

Because of the risk of complications, skin or soft-tissue ultrasound should be requested before performing a skin biopsy in patients with an indurated lip nodule. Threedimensional reconstructions are of great diagnostic value in vascular diseases and dermatological oncology.




Figure 1

Acknowledgments

We thank Dr. José Maria Abadal from the vascular radiology unit for his help in this case.

* Corresponding author.

1578-2190/© 2017 Elsevier España, S.L.U. and AEDV. All rights reserved.



^{*} Please cite this article as: Imbernón-Moya A, Fernández-Cogolludo E, Gallego-Valdés MÁ. Nódulo indurado en labio superior. Actas Dermosifiliogr. 2018;109:445.

E-mail address: adrian_imber88@hotmail.com (A. Imbernón-Moya).